



GOVERNMENT OF TAMIL NADU

DIRECTORATE OF PUBLIC HEALTH AND PREVENTIVE MEDICINE

பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத்துறை

SELF DECLARED SANITATION CERTIFICATE

(Issued under G.O.(Ms)No. 276 of Health and Family Welfare (AB2) Department dated 23.09.2024 on the basis of affidavit by the applicant)

Certificate Number : TN00126NGT29399

Issued Date : 16-03-2026

Organization Type : Educational Institutions

Expiry Date : 15-03-2027

Name of the Organization : SIVASAKTHI INTERNATIONAL SCHOOL

Address : 1/1, CHINNA SALAI, THALANAYAR, VEDARANYAM TALUK, NAGAPATTINAM 614712

I, **BHARATHI M** owner/manager of the **SIVASAKTHI INTERNATIONAL SCHOOL** functioning as **Educational Institutions** located at **Thalanayar Agraharam** in **Nagapattinam** district hereby declare that

- This Self-Declared Sanitation certificate is valid from **16-03-2026** to **15-03-2027** and will be renewed every year prior to the expiry of the current certificate with updated information.
 - Our premises can accommodate **1500** people/pupils and has **95** urinals and **35** toilets which is proportionate to the number of users as per government norms.
 - **2** Sanitation workers are deployed to clean the entire premises including Toilets, Common Area Spaces, etc., at regular intervals and proper record is maintained.
 - The waste generated on our premises is properly processed and disposed of as per Solid Waste management Rules, 2016.
 - There is no potential mosquito breeding area on the premises.
 - The premises have adequate drinking water fountains on each floor of the premises.
 - The self-declared certificate is displayed prominently on the premises along with the protocol
- The Government reserves the right to inspect at any point of time and cause for rectification or cancel or suspend the certificate and take legal action if any conditions are violated.

Signature of the Owner/Manager



(அ) TN00126NGT29399 என்ற தனிப்பட்ட சான்றிதழ் எண்ணை

<https://www.tnesevai.tn.gov.in/edistrict/CheckStatus/Certificate/> ல் உள்ளீடு செய்து சரிபார்க்கவும்.

(அல்லது)

(ஆ) கைப்பேசியில் பாரகொடு படிப்பான் மூலம் இணையதளத்தில் சரிபார்க்கவும்.

Genuineness of the certificate can be verified by.

(a) Keying in the unique certificate number TN00126NGT29399 in the URL

<https://www.tnesevai.tn.gov.in/edistrict/CheckStatus/Certificate/>

(or)

(b) Reading the 2D barcode with mobile barcode reader and verify through online.

PRINCIPAL
SIVASAKTHI INTERNATIONAL SCHOOL
(K-12 Institution) CBSE Affiliation No:1931092,
No:1/1, Chinna Salai, Thalanayar-614 712,
Vedaranyam-Tk, Nagapattinam-Dt.

MANAGER
SIVASAKTHI INTERNATIONAL SCHOOL
(Affiliated to CBSE New Delhi, Affiliation No:1931092)
No:1/1, Chinna Salai, Thalanayar-614 712,
Vedaranyam-Tk, Nagapattinam-Dt.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD
DISTRICT WATER TESTING LABORATORY
Near OHT, North Palpannaicherry,
Nagapattinam- 610 001.

Phone: 04365-211949

E-mail:dwtnagai@gmail.com

TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Report No:	TR/2026/ 33972	Report Issue Date :	11.05.2026	Page No:3 of 3
Invoice Details:	109/Dt: 08.05.2026 Amt.Rs 1652 /-	ULR No: TC10545250000000064F		

Client Name & Address Contact No / Email.ID	: SivaSakthi International School, 1/1Chinna Solai, Thalainayar , Vedharanyam , 614 712 Contact :9843614111
Sample Name	: Water
Sample Number	: 33972
Sample Description	: Tap Water
Sample Submitted by	: J.Boopathi
Location & Date	: Chinna Solai SivaSakthi School (Within Premises)& 08.05.2026
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Cane
Sample Condition on Receipt	: Good
Sample Received On	: 08/05/2026
Test Commenced on	: 08/05/2026
Test Completed on	: 09/05/2026

S.No	Parameters	Unit	Test Method	Result	Specification as per IS 10500:2012(RA:2019)	
					Acceptable Limit	Permissible Limit in the absence of alternate source
1	Appearance	mg/L	Physical Observation	Clear	Clear	Clear
2	Ph Alkalinity	mg/L	IS 3025-part 23-1983	0	-	-
3	Iron as Fe	mg/L	APHA 23rd Edition 2017- 3500 Fe B	0.07	0.3	1
4	Manganese as Mn	mg/L	APHA 23rd Edition 2017- 3500 Mn B	0	0.1	0.3
5	Ammonia as NH ₃	mg/L	APHA 17th Edition-1989- 4500 NH ₃ C	0	0.5	0.5
6	Nitrite as NO ₂	mg/L	APHA 23rd Edition 2017- 4500-NO ₂ B	0	-	-
7	Total Phosphate as PO ₄	mg/L	APHA 23rd Edition 2017 - 4500 P- D	0	-	-
8	Tidys 4 hr. test	mg/L	APHA 23rd Edition 2017 - 4500 O - B	0.20	-	-
9	Residual Chlorine	mg/L	APHA 23rd Edition 2017- 4500 Cl-B	0	0.2	1
10	Conductivity	µS/cm	APHA 23rd Edition 2017 - 2510 B	902	-	-
BACTERIOLOGICAL EXAMINATION						
11	Fecal Coliform	CFU/ 100ML	IS/APHA	0	0	0

Remark: The tested sample conformed to IS: 10500:2012 (RA:2023) drinking water specifications with respect to Permissible Limit for the tested parameters.
... End of the report...

S.K.
17/5/26
Authorised Signatory

S.KATHIRKAMANATHAN, JUNIOR WATER ANALYST (a/c)

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. The test items will not be retained for 15 days from the date of the test report.
4. The Result applied to the sample as Received basis
- 5.* Information is Provided by the Customer. Laboratory has not Responsible for the Sampling Stage

[Signature]
PRINCIPAL
SIVASAKTHI INTERNATIONAL SCHOOL,
(K-12 Institution) CBSE Affiliation No:1931092,
No:1/1, Chinna Salai, Thalainayar-614 712,
Vedaranyam-Tk, Nagapattinam-Dt.

[Signature]
MANAGER
SIVASAKTHI INTERNATIONAL SCHOOL,
(Affiliated to CBSE New Delhi, Affiliation No:1931092)
No:1/1, Chinna Salai, Thalainayar-614 712,
Vedaranyam-Tk, Nagapattinam-Dt.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD
DISTRICT WATER TESTING LABORATORY
Near OHT, North Palpannaicherry,
Nagapattinam- 611 001.

Phone: 04365-211949

E-mail:dwtnagai@gmail.com

TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Report No:	TR/2026/ 33972	Report Issue Date :	11.05.2026	Page No:1 of 3
Invoice Details:	109/Dt: 08.05.2026 Amt.Rs 1652/-	ULR No:	TC105452500000000064F	

Client Name & Address Contact No / Email.ID	:	SivaSakthi International School, 1/1Chinna Solai,Thalainayar , Vedharanyam , 614 712. Contact :9843614111
Sample Name	:	Water
Sample Code Number	:	33972
Sample Description	:	Tap Water
Sample Submitted by	:	J.Boopathi
Location & Date	:	Chinna Solai SivaSakthi School (Within Premises)& 08.05.2026
Quantity of sample Received	:	2 Litre
Sample Container	:	Jerry Cane
Sample Condition on Receipt	:	Good
Sample Received On	:	08/05/2026
Test Commenced on	:	08/05/2026
Test Completed on	:	09/05/2026

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit
1	pH@25°C	IS 3025 Part 11-2022	-	7.49	6.5-8.5	6.5-8.5
2	Color	IS 3025 Part 04(visual comparison method):2021	HU	<1.0	5	15
3	Odour	IS 3025 Part 05-2018	-	Agreeable	Agreeable	Agreeable
4	Taste	IS 3025 Part 08-2023	-	Agreeable	Agreeable	Agreeable
5	Total Hardness as CaCO3	IS 3025 Part 21 (RA:2023):2009	mg/L	200	200	600
6	Calcium as Ca	IS 3025 (Part 40)(EDTA titrimetric method):2024	mg/L	51	75	200
7	Magnesium as Mg	IS 3025 (Part 46)(volumetric method using EDTA): 2023	mg/L	17	30	100
8	Total Alkalinity as CaCO3	IS 3025 Part 23-2023	mg/L	304	200	600
9	Chloride as Cl	IS 3025-Part 32(Argentometric method) (RA:2019):1988	mg/L	70	250	1000


PRINCIPAL 20/05/26.
SIVASAKTHI INTERNATIONAL SCHOOL,
(K-12 Institution) CBSE Affiliation No:1931092,
No:1/1,Chinna Salai,Thalanayar-614 712,
Vedaranyam-Tk,Nagapattinam-Dt.


MANAGER
SIVASAKTHI INTERNATIONAL SCHOOL,
(Affiliated to CBSE New Delhi,Affiliation No:1931092)
No:1/1,Chinna Salai,Thalanayar-614 712,
Vedaranyam-Tk,Nagapattinam-Dt.



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD
DISTRICT WATER TESTING LABORATORY

Near OHT, North Palpannaicherry,
Nagapattinam- 611 001.

Phone: 04365-211949

E-mail: dwtnagai@gmail.com

TEST REPORT


Doc.No: DWTL/FORM/7 8/01-

Report No:	TR/2026/ 33972	Report Issue Date :	11.05.2026	Page No: 1 of 3
Invoice Details:	109/Dt: 08.05.2026 Amt.Rs 1652/-	ULR No: TC105452500000000064F		

Sl.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit
10	Sulphate as SO ₄	APHA 24th Edition-4500-SO ₄ Method E (Turbidimetric Method): 2023	mg/L	62	200	400
11	Nitrate as NO ₃	APHA 24th Edition -4500- NO ₃ Method B (UV Screening Method): 2023	mg/L	15	45	45
12	Fluoride as F	APHA 24th Edition -4500-F Method D (SPADNS Method): 2023	mg/L	0.2	1.0	1.5
13	Turbidity	IS 3025 (Part 10): 2023	NTU	<0.5	1.0	5.0
14	Total Dissolved Solids	IS 3025 (Part 16): 2023	mg/L	631	500	2000

Remark: The tested sample conformed to IS: 10500:2012 (RA:2023) drinking water specifications with respect to Acceptable Limit / Permissible Limit for the tested parameters.

...End of the report...


Authorised Signatory
S. KATHIRKAMANATHAN
Junior Water Analyst (a/c).

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. The test items will not be retained for 15 days from the date of the test report.
4. The Result applied to the sample as Received basis
5. *Information is Provided by the Customer. Laboratory has not Responsible for the Sampling Stage


PRINCIPAL 20/5/26.
SIVASAKTHI INTERNATIONAL SCHOOL,
(K-12 Institution) CBSE Affiliation No: 1931092,
No: 1/1, Chinna Salai, Thalanayar-614 712,
Vedaranyam-Tk, Nagapattinam-Dt.


MANAGER
SIVASAKTHI INTERNATIONAL SCHOOL,
(Affiliated to CBSE New Delhi, Affiliation No: 1931092)
No: 1/1, Chinna Salai, Thalanayar-614 712,
Vedaranyam-Tk, Nagapattinam-Dt.